



# Curva Customisable Slim Linear Light

Compatible with Curva curved LED linear lighting system



Adjustable length  
Can be cut shorter or/and connected to longer lines



## Overview

<b>Construction Material</b>	Aluminium
<b>Body Finish</b>	Jet Black (RAL9005) Signal White (RAL9003) White Aluminium (RAL9006)
<b>Diffuser Type</b>	Flexible silicone
<b>IP Rating</b>	IP20
<b>Mounting</b>	Surface   Suspended
<b>Warranty</b>	5 years
<b>Compatibility</b>	Linkable & compatible with Curva curved linear lighting system

## Luminaire Output

<b>Colour Temperature</b>	3000K   4000K   custom
<b>CRI</b>	>90 Ra
<b>Lighting Direction</b>	Downwards
<b>Beam Angle</b>	120°
<b>Power</b>	19W per metre
<b>Operating Hours</b>	50,000
<b>Flicker Free</b>	Yes
<b>LEDs</b>	Bridgelux 2835
<b>Macadam Ellipse</b>	Equal or less than 3 sdc <sub>m</sub>

## Supply & Power

<b>Voltage Range</b>	100-277 VAC 50/60Hz
<b>Power Factor</b>	>0.5
<b>Inrush Current</b>	DC24V
<b>Protection Class IEC</b>	Class II
<b>Ambient Temperature</b>	-20°C to +40°C
<b>Driver</b>	Remote



# Curva Customisable Slim Linear Light

Compatible with Curva curved LED linear lighting system

## Luminaire Variants Data

Customisable to your desired length, use /XXXXmm suffix

Variant	Type	Wattage/metre	Lumens/metre at 4000K
LL3611250/XXXXmm	Curva XXXXmm Straight Line	19W	~960

## Options

Finish	<b>/BK</b>	Black (RAL 9005)	<b>/WT</b>	White (RAL9003)	<b>/WA</b>	White Aluminium (RAL9010)	<b>/RALXXXX</b> (Custom)
Kelvin	<b>/3K</b>	3000K	<b>/4K</b>	4000K	<b>/TW</b>	Tunable White	<b>/RGBW</b> Colour Changing

## Installation Accessories

<b>LL36-02</b>	Curva end caps (/BK, /WT, /WA)
<b>LL36-03</b>	Curva 2m suspension kit (2 pcs)
<b>LL36-04</b>	Curva 2m 2 in 1 flex and suspension kit (2 pcs)
<b>LL36-10</b>	Curva deep ceiling rose
<b>LL36-06</b>	Curva Inwards/outwards lighting mounting buckle (2 pcs)
<b>LL36-07</b>	Curva downwards lighting mounting buckle (2 pcs)
<b>LL36-08</b>	Curva connection pack
<b>LL36-11</b>	Curva 1m flex for surface mounting

## Drivers

<b>D-AFS-E30</b>	Curva 30W Driver
<b>D-AFS-E75</b>	Curva 75W Driver
<b>D-AFS-E100</b>	Curva 100W Driver
<b>D-AFS-E150</b>	Curva 150W Driver

# Curva Customisable Slim Linear Light

Compatible with Curva curved LED linear lighting system

## Added Features

### Add On

Dimming     /DD   DALI Dimming     /DH   Mains Dimming     /CC   Casambi Controlled

### Full Order Example

- LL3611250/900mm/WT/3K     Curva straight line customised to 0.9m in 3000K and white finish
- LL33-07     Curva 3m suspension kit - 2 point pack
- D-AFS-E30     Curva 30W driver
- LL36-02/WT     Curva end caps in white



# Curva Customisable Slim Linear Light

Compatible with Curva curved LED linear lighting system

## Overview of All Curva Profiles



**Straight Line**  
Customisable length



**Downwards Arc**  
45 degrees | 90 degrees



**Outwards Arc**  
90 degrees



**Inwards Arc**  
90 degrees



**Left Twist**  
90 degrees



**Right Twist**  
90 degrees



**Full Twist**  
180 degrees

